

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S200	9	(ICMP adj ping\$3) and (response adj time)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 18:04
S199	40	(ICMP adj ping\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 18:04
S198	2	((709/223).CCLS.) and (poll\$3 and (priority same frequen\$5))	USPAT	OR	ON	2005/07/29 18:03
S197	2	((709/223).CCLS.) and (poll\$3 and (priority same frequen\$5))	USPAT	OR	ON	2005/07/29 18:03
S186	4	(ICMP or ping\$3 or poll\$3) near (priority same poll\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 18:03
S196	19	((709/223).CCLS.) and (poll\$3 and (priority same (frequen\$5 or faster or often)))	USPAT	OR	ON	2005/07/29 18:02
S195	1	((709/223).CCLS.) and (poll\$3 same (priority same (frequen\$5 or faster or often)))	USPAT	OR	ON	2005/07/29 17:59
S194	19	((709/223).CCLS.) and (poll\$3 same priority and (frequen\$5 or faster or often))	USPAT	OR	ON	2005/07/29 17:59
S193	1	((709/223).CCLS.) and (poll\$3 same priority same (frequen\$5 or faster or often))	USPAT	OR	ON	2005/07/29 17:56
S192	22	((709/223).CCLS.) and (poll\$3 same priority)	USPAT	OR	ON	2005/07/29 17:55
S191	379	((709/223).CCLS.) and (poll\$3)	USPAT	OR	ON	2005/07/29 17:54
S12	207	((709/223).CCLS.) and (response near time)	USPAT	OR	ON	2005/07/29 17:54
S190	17	(ICMP or ping\$3) same (priority) same response same frequen\$7	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 17:52
S189	102	(ICMP or ping\$3) same (priority) same response	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 17:52
S188	1403	(ICMP or ping\$3) same (priority)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 17:52
S187	3	(ICMP or ping\$3) near (priority)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 17:51
S185	3	S182 and (priority same poll\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 17:49

S18 4	0	S182 and (priority near poll\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 17:48
S18 3	56	S182 and priority	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 17:48
S18 2	117	node near availability	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 17:48
S18 0	8	(network near manag\$7) and (poll\$3 near priority)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 17:48
S17 9	2403	(network near manag\$7) and (poll\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 17:43
S17 8	21169	(network near manag\$7)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 17:42
S17 7	1	(priority) same (poll\$3 same frequen\$5) same database	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 17:42
S17 6	193	(priority) same (poll\$3 same frequen\$5)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:17
S17 5	14	((low\$3 and high\$3) near priority) same (poll\$3 same frequen\$5)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:17
S17 4	0	((low\$3 and high\$3) near priority) same (poll\$3 near frequen\$5)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:15
S17 3	13969	((low\$3 and high\$3) near priority)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:14
S15 2	0	((low\$3 and high\$3) near priority) near node same (updat\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:11
S17 2	25	(poll\$3) near frequen\$5 same priority	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:04

S17 1	522	(poll\$3) near frequen\$5	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:04
S17 0	16	S169 and database	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:03
S16 9	191	(poll\$3) near (priority)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 15:03
S16 8	9	(poll\$3 or ping\$3 or ICMP) near (priority) same (frequen\$5 or often)	USPAT	OR	OFF	2005/07/29 15:02
S16 4	11	(poll\$3 or ping\$3) near (priority) same (frequen\$5 or interval)	USPAT	OR	OFF	2005/07/29 15:01
S16 7	6	("5129037" "5231593" "5243543" "5623590" "6115393" "6366563").PN. OR ("6661778").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/29 14:57
S16 6	3439	(709/223-224).CCLS.	USPAT; USOCR	OR	OFF	2005/07/29 14:55
S11	1520	(709/223).CCLS.	USPAT; USOCR	OR	OFF	2005/07/29 14:55
S16 5	16	("4763323").URPN.	USPAT	OR	OFF	2005/07/29 14:52
S16 3	0	(poll\$3 or ping\$3) near (priority) near (frequen\$5 or interval)	USPAT	OR	OFF	2005/07/29 14:48
S16 2	93	(poll\$3 or ping\$3) near (priority)	USPAT	OR	OFF	2005/07/29 14:48
S16 1	3	S112 and (priority)	USPAT	OR	OFF	2005/07/29 14:47
S11 3	15	S112 and (response near time)	USPAT	OR	OFF	2005/07/29 14:18
S16 0	12	("4939641" "4959777" "5060144" "5193168" "5339397" "5404489" "5434997" "5495570" "5533185" "5796605" "5892766" "5959777").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/29 13:47
S15 9	62	((updat\$3) adj5 bas\$3) adj7 priority	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:46
S15 8	82	((updat\$3) adj5 bas\$3) near priority	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:46
S15 7	19	priority near (updat\$3) near bas\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:45
S15 6	24	priority near (updat\$3) near (table or database)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:43

S15 4	603	priority near (updat\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:41
S15 3	16	((low\$3 and high\$3) near node) same (updat\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:41
S15 1	59	((low\$3 and high\$3) near priority) near node	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:37
S15 0	3	((low\$3 and high\$3) near priority) near updat\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:36
S14 8	56	((low\$3 and high\$3) near priority) same (frequent\$3) same (transmit\$5 or updat\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:35
S14 9	35	S148 and network	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:33
S14 7	2	S144 and (network near availab\$5)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:32
S14 4	237	((low\$3 and high\$3) near priority) same (frequent\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:32
S14 6	157	S144 and availab\$5	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:31
S14 5	1	S144 and (ping or ICMP)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:31
S14 0	677	((low\$3 and high\$3) near priority) same (often or frequent\$3 or faster)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:29
S14 3	18	S141 and network near manag\$5	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:28
S14 2	47	S141 and network	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:28

S14 1	66	S140 and (response adj time)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:27
S13 9	0	((low\$3 and high\$3) near priority) near (often or frequent\$3 or faster)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:25
S13 8	12	((low\$3 and high\$3) near priority) same (response adj time) same (often or frequent\$3 or faster)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:24
S13 2	83	((low\$3 and high\$3) near priority) same (response adj time)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:22
S13 5	19	((low\$3 and high\$3) near priority) same (response adj time) and ((updat\$3 or transmit\$5 or send\$3) same (often or frequent\$3 or faster))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:17
S13 4	1	((low\$3 and high\$3) near priority) same (response adj time) and ((updat\$3 or transmit\$5 or send\$3) near (often or frequent\$3 or faster))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 13:17
S13 3	3	((low\$3 and high\$3) near priority) same (response adj time) same updat\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:59
S12 8	13969	(low\$3 and high\$3) near priority	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:36
S13 1	12	S130 and (updat\$3 or transmit\$5 or send\$3) near (often or frequent\$3 or priority)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:35
S13 0	143	S129 and (network near manag\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:34
S12 9	1328	S128 and (response near time)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:33
S12 4	301	node adj priority	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:32
S12 7	28	S126 and (updat\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:23

S12 6	44	S124 and (response near time)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:23
S12 5	3	node adj priority near updat\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:22
S12 3	8	updat\$3 near time near priority	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:22
S12 2	0	updat\$3 near time near priority and database	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:21
S11 8	32	updat\$3 near priority same database	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:21
S12 1	19	(response adj time) near priority	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:19
S12 0	18	(response adj time) near priority	USPAT	OR	OFF	2005/07/29 12:14
S11 5	0	S112 and (response adj time) same priority	USPAT	OR	OFF	2005/07/29 12:14
S11 9	17	updat\$3 near bas\$3 near priority	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:11
S11 7	603	updat\$3 near priority	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:09
S11 6	2	S112 and (response adj time) and priority	USPAT	OR	OFF	2005/07/29 12:09
S11 4	15	S112 and (response adj time)	USPAT	OR	OFF	2005/07/29 12:07
S11 2	18	(US-5651006-\$ or US-5764912-\$ or US-6041352-\$ or US-6070190-\$ or US-6178449-\$ or US-6321263-\$ or US-6360211-\$ or US-6366907-\$ or US-6425008-\$ or US-6430613-\$ or US-6484143-\$ or US-6522631-\$ or US-6526371-\$ or US-6661778-\$ or US-6704284-\$ or US-6747957-\$ or US-6754705-\$ or US-6775675-\$).did.	USPAT	OR	OFF	2005/07/29 12:07
S11 1	19	((response adj time) near priority)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:01
S10 9	0	S107 and ((response adj time) near priority)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:01

S110	2	S107 and ((response adj time) same priority)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:59
S108	118	S107 and (response adj time)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:59
S107	1169	ICMP or (Internet adj Control adj Message adj Protocol)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:59
S6	704	(370/241,242).CCLS.	USPAT; USOCR	OR	OFF	2004/08/10 16:03
S1	3151	(707/10).CCLS.	USPAT; USOCR	OR	OFF	2004/08/10 16:02
S5	312	S1 and monitor\$3 and (network same manager)	USPAT	OR	ON	2004/08/10 15:51
S2	1435	S1 and monitor\$3	USPAT	OR	ON	2004/08/10 15:50
S7	1853	(709/224).CCLS.	USPAT; USOCR	OR	OFF	2004/08/10 15:49
S80	34	(flat adj file) same (format same convert\$3) and database and monitor\$3 and manager	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 11:54
S79	42	(flat adj file) same (format same convert\$3) and database and monitor\$3 and stor\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 11:54
S78	54	(flat adj file) same (format same convert\$3) and database	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 11:53
S77	63	(flat adj file) same (format same convert\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 11:53
S76	2	(flat adj file) same (format near convert\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 11:52
S75	207	(flat adj file) same format and convert\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 11:51
S74	316	(flat adj file) same format	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 11:51
S73	4	(network adj node adj manager) and (response adj time)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 11:51
S72	64	network adj node adj manager	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 10:53

S25	30	(response adj time) and (sampling adj interval) and (priority near (high or low))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/10 10:53
S71	8	convert\$3 adj flat adj file	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 18:13
S67	52	sampling adj interval and (start adj time) and (end adj time)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 18:12
S70	13	(sampling adj interval and (start adj time) and (end adj time) and millisecond) not (sampling adj interval and (start adj time) and (end adj time) and millisecond and (ID or identification))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 18:00
S68	25	sampling adj interval and (start adj time) and (end adj time) and millisecond	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 18:00
S69	12	sampling adj interval and (start adj time) and (end adj time) and millisecond and (ID or identification)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 17:59
S17	122	(response adj time) and millisecond and (IP adj address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 17:58
S66	4	determin\$3 near (response adj time) near node	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 17:55
S64	17	(response adj time) and (IP adj address) and (ICMP or ping) and ((node or client or workstation) near (available or availability))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 17:53
S65	1	("6484143").PN.	USPAT; USOCR	OR	OFF	2004/08/09 16:59
S63	140	(response adj time) and (IP adj address) and (ICMP or ping) and avail\$9	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:56
S62	144	(response adj time) and (IP adj address) and (ICMP or ping)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:55
S61	675	(response adj time) and (IP adj address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:55
S50	15	((flat or text) adj file) near format and (response near time) and database and node	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:55
S60	5	((((709/224).CCLS.) or ((709/223).CCLS.)) and (start adj time) and (end adj time) and (ICMP or ping)	USPAT	OR	ON	2004/08/09 16:54
S59	3	((((709/224).CCLS.) or ((709/223).CCLS.)) and (start adj time) and (end adj time) and (response adj time) and millisecond	USPAT	OR	ON	2004/08/09 16:54
S58	2	((709/224).CCLS.) and (start adj time) and (end adj time) and (response adj time) and millisecond	USPAT	OR	ON	2004/08/09 16:53
S57	12	((709/224).CCLS.) and (start adj time) and (end adj time) and (response adj time)	USPAT	OR	ON	2004/08/09 16:52

S56	42	((709/224).CCLS.) and (start adj time) and (end adj time)	USPAT	OR	ON	2004/08/09 16:52
S55	9	((709/224).CCLS.) and (flat adj file) and (response adj time)	USPAT	OR	ON	2004/08/09 16:52
S54	32	((709/224).CCLS.) and (flat adj file)	USPAT	OR	ON	2004/08/09 16:50
S53	26	((709/224).CCLS.) and ((flat or text) adj file) same format	USPAT	OR	ON	2004/08/09 16:50
S8	1479	((709/224).CCLS.) and response	USPAT	OR	ON	2004/08/09 16:45
S52	19	((flat or text) adj file) near format and ((start or end) adj time) and interval	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:44
S51	37	((flat or text) adj file) near format and ((start or end) adj time)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:41
S49	24	((flat or text) adj file) near format and (response near time) and database	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:38
S48	15	((flat or text) adj file) near format and (response near time) and ((start or end) same time)) not (((flat or text) adj file) near format and (response near time) and ((start or end) near time))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:37
S45	26	((flat or text) adj file) near format and (response near time) and (start or end)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:37
S47	18	((flat or text) adj file) near format and (response near time) and ((start or end) same time)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:36
S46	3	((flat or text) adj file) near format and (response near time) and ((start or end) near time)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:36
S44	26	((flat or text) adj file) near format and (response near time)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:34
S43	1	((flat or text) adj file) near format and (sample adj interval)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:34
S42	301	((flat or text) adj file) near format	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:03
S40	1	high adj priority adj (node or client or station) same (more near frequent\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 16:02
S41	6	("5129037" "5231593" "5243543" "5623590" "6115393" "6366563").PN.	USPAT	OR	ON	2004/08/09 15:58
S36	75	high adj priority adj (node or client or station)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 15:58
S39	6	(high and low) adj priority adj (node or client or station) and transmi\$5 and (slow or fast or frequent\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 15:54

S38	17	(high and low) adj priority adj (node or client or station) and transmi\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 15:53
S37	21	(high and low) adj priority adj (node or client or station)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 15:52
S32	17	(response adj time) and ((network adj manager) same node) and (IP adj address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 15:52
S35	3	((709/224).CCLS.) and (response adj time) same (sampling adj interval)	USPAT	OR	ON	2004/08/09 15:50
S34	50	((709/224).CCLS.) and (response adj time) same (interval)	USPAT	OR	ON	2004/08/09 15:49
S33	8	((response adj time) and ((network adj manager) same node) and (IP adj address)) not ((response adj time) and ((network adj manager) same node) and (ICMP or ping))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 15:47
S30	10	(response adj time) and ((network adj manager) same node) and (ICMP or ping)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 15:46
S31	12	("5452287" "5627766" "5710885" "5802286" "5845081" "5892753" "5909549" "5968126" "6212171" "6226681" "6269099" "6337861").PN.	USPAT	OR	ON	2004/08/09 15:04
S29	63	(response adj time) and ((network adj manager) same node)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 15:03
S28	245	(response adj time) and (network adj manager)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 15:02
S27	4	(response adj time) and (network adj node adj manager)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 15:02
S26	64	(response adj time) and (node near manager)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 15:01
S24	137	(response adj time) and (sampling adj interval) and priority	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 14:56
S20	15	(response adj time) and (sampling adj interval) and (ICMP or ping)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 14:55
S23	12	("4858152" "5367670" "5446680" "5483468" "5559958" "5566339" "5621663" "5655081" "5675798" "5715453" "5781735" "5872976").PN.	USPAT	OR	ON	2004/08/09 14:51
S22	7	"6321263".URPN.	USPAT	OR	ON	2004/08/09 14:50
S21	1	("20020156878").PN.	US-PGPUB; USOCR	OR	OFF	2004/08/09 14:44
S19	694	(response adj time) and (sampling adj interval)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 14:42

S18	29	(response adj time) and millisecond and (IP adj address) and ICMP	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/09 14:42
S16	6	"6178449".URPN.	USPAT	OR	ON	2004/08/09 14:13
S15	21	"5764912".URPN.	USPAT	OR	ON	2004/08/09 14:12
S14	8	("5655081" "5678006" "5764912" "5778178" "5787253" "5796633" "5937165" "5949974").PN.	USPAT	OR	ON	2004/08/09 14:10
S13	132	((709/224).CCLS.) and (flat or text) adj file	USPAT	OR	ON	2004/08/09 14:09
S9	837	((709/224).CCLS.) and (response same time)	USPAT	OR	ON	2004/08/09 13:50
S10	268	((709/224).CCLS.) and (response adj time)	USPAT	OR	ON	2004/08/09 12:52